

**Table 6.64A Estimated Numbers (in Thousands) of Past Month Users of Illicit Drugs Among Persons Aged 18 or Older, by Probation Status: 2000 and 2001**

Drug	Total <sup>1</sup>		PROBATION STATUS DURING THE PAST YEAR			
			On Probation		Not on Probation	
	2000	2001	2000	2001	2000	2001
Any Illicit Drug <sup>2</sup>	11,763 <sup>b</sup>	13,355	899	984	10,830 <sup>b</sup>	12,328
Marijuana and Hashish	9,035 <sup>b</sup>	10,233	693	860	8,313 <sup>b</sup>	9,338
Cocaine	1,081 <sup>b</sup>	1,570	173	151	899 <sup>b</sup>	1,414
Crack	245	380	98	41	147 <sup>b</sup>	340
Heroin	114	114	31	14	84	100
Hallucinogens <sup>3</sup>	701 <sup>b</sup>	979	90	103	611 <sup>b</sup>	865
LSD	283	215	57	35	226	179
PCP	35	31	5	15	30	15
Ecstasy	--	635	--	60	--	565
Inhalants	398	308	41	34	355	270
Nonmedical Use of Any Psychotherapeutic <sup>4</sup>	3,158 <sup>b</sup>	4,050	295	331	2,859 <sup>b</sup>	3,696
Pain Relievers	2,245 <sup>b</sup>	2,878	193	231	2,048 <sup>b</sup>	2,635
Tranquilizers	890 <sup>a</sup>	1,229	114	61	775 <sup>b</sup>	1,167
Stimulants	607	861	87	143	519	707
Methamphetamine	319	528	61	104	257	414
Sedatives	139	275	12	18	127	253
Any Illicit Drug Other Than Marijuana <sup>2</sup>	4,637 <sup>b</sup>	5,847	482	489	4,139 <sup>b</sup>	5,332

\*Low precision; no estimate reported.

-- Not available.

<sup>a</sup>Difference between estimate and 2001 estimate is statistically significant at the .05 level.

<sup>b</sup>Difference between estimate and 2001 estimate is statistically significant at the .01 level.

<sup>1</sup> Estimates in the total column are for all persons aged 18 or older, including those with unknown probation status.

<sup>2</sup> Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>3</sup> Due to a questionnaire change in 2001, comparison of hallucinogen estimates (except lifetime) with prior estimates should be interpreted with caution. See Appendix C.

<sup>4</sup> Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

**Table 6.64B Percentages Reporting Past Month Use of Illicit Drugs Among Persons Aged 18 or Older, by Probation Status: 2000 and 2001**

Drug	Total <sup>1</sup>		PROBATION STATUS DURING THE PAST YEAR			
			On Probation		Not on Probation	
	2000	2001	2000	2001	2000	2001
Any Illicit Drug <sup>2</sup>	5.9 <sup>b</sup>	6.6	24.2	24.4	5.5 <sup>b</sup>	6.3
Marijuana and Hashish	4.5 <sup>b</sup>	5.1	18.6	21.3	4.3 <sup>b</sup>	4.7
Cocaine	0.5 <sup>b</sup>	0.8	4.7	3.7	0.5 <sup>b</sup>	0.7
Crack	0.1	0.2	2.6	1.0	0.1 <sup>b</sup>	0.2
Heroin	0.1	0.1	0.8	0.3	0.0	0.1
Hallucinogens <sup>3</sup>	0.4 <sup>b</sup>	0.5	2.4	2.5	0.3 <sup>b</sup>	0.4
LSD	0.1	0.1	1.5	0.9	0.1	0.1
PCP	0.0	0.0	0.1	0.4	0.0	0.0
Ecstasy	--	0.3	--	1.5	--	0.3
Inhalants	0.2	0.2	1.1	0.8	0.2	0.1
Nonmedical Use of Any Psychotherapeutic <sup>4</sup>	1.6 <sup>b</sup>	2.0	7.9	8.2	1.5 <sup>b</sup>	1.9
Pain Relievers	1.1 <sup>b</sup>	1.4	5.2	5.7	1.0 <sup>b</sup>	1.3
Tranquilizers	0.4 <sup>a</sup>	0.6	3.1	1.5	0.4 <sup>b</sup>	0.6
Stimulants	0.3	0.4	2.3	3.6	0.3	0.4
Methamphetamine	0.2	0.3	1.6	2.6	0.1	0.2
Sedatives	0.1	0.1	0.3	0.5	0.1	0.1
Any Illicit Drug Other Than Marijuana <sup>2</sup>	2.3 <sup>b</sup>	2.9	13.0	12.1	2.1 <sup>b</sup>	2.7

\*Low precision; no estimate reported.

-- Not available.

<sup>a</sup>Difference between estimate and 2001 estimate is statistically significant at the .05 level.

<sup>b</sup>Difference between estimate and 2001 estimate is statistically significant at the .01 level.

<sup>1</sup> Estimates in the total column are for all persons aged 18 or older, including those with unknown probation status.

<sup>2</sup> Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>3</sup> Due to a questionnaire change in 2001, comparison of hallucinogen estimates (except lifetime) with prior estimates should be interpreted with caution. See Appendix C.

<sup>4</sup> Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

**Table 6.65A Estimated Numbers (in Thousands) of Past Month Users of Illicit Drugs Among Persons Aged 18 to 49, by Probation Status: 2000 and 2001**

Drug	Total <sup>1</sup>		PROBATION STATUS DURING THE PAST YEAR			
			On Probation		Not on Probation	
	2000	2001	2000	2001	2000	2001
Any Illicit Drug <sup>2</sup>	10,732 <sup>b</sup>	12,438	848	984	9,852 <sup>b</sup>	11,419
Marijuana and Hashish	8,546 <sup>b</sup>	9,773	652 <sup>a</sup>	860	7,866 <sup>b</sup>	8,879
Cocaine	983 <sup>b</sup>	1,485	146	151	828 <sup>b</sup>	1,329
Crack	201 <sup>a</sup>	336	70	41	131 <sup>b</sup>	295
Heroin	95	114	21	14	74	100
Hallucinogens <sup>3</sup>	701 <sup>b</sup>	979	90	103	611 <sup>b</sup>	865
LSD	283	215	57	35	226	179
PCP	35	31	5	15	30	15
Ecstasy	--	635	--	60	--	565
Inhalants	346	296	41	34	302	257
Nonmedical Use of Any Psychotherapeutic <sup>4</sup>	2,690 <sup>b</sup>	3,543	267	331	2,418 <sup>b</sup>	3,197
Pain Relievers	1,924 <sup>b</sup>	2,546	193	231	1,727 <sup>b</sup>	2,310
Tranquilizers	769 <sup>a</sup>	1,037	86	61	681 <sup>a</sup>	975
Stimulants	585	794	87	143	497	640
Methamphetamine	319	469	61	104	257	355
Sedatives	103	198	12	18	91	176
Any Illicit Drug Other Than Marijuana <sup>2</sup>	4,035 <sup>b</sup>	5,302	445	489	3,574 <sup>b</sup>	4,794

\*Low precision; no estimate reported.

-- Not available.

<sup>a</sup>Difference between estimate and 2001 estimate is statistically significant at the .05 level.

<sup>b</sup>Difference between estimate and 2001 estimate is statistically significant at the .01 level.

<sup>1</sup> Estimates in the total column are for all persons aged 18 or older, including those with unknown probation status.

<sup>2</sup> Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>3</sup> Due to a questionnaire change in 2001, comparison of hallucinogen estimates (except lifetime) with prior estimates should be interpreted with caution. See Appendix C.

<sup>4</sup> Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

**Table 6.65B Percentages Reporting Past Month Use of Illicit Drugs Among Persons Aged 18 to 49, by Probation Status: 2000 and 2001**

Drug	Total <sup>1</sup>		PROBATION STATUS DURING THE PAST YEAR			
			On Probation		Not on Probation	
	2000	2001	2000	2001	2000	2001
Any Illicit Drug <sup>2</sup>	8.5 <sup>b</sup>	9.8	25.3	27.7	8.1 <sup>b</sup>	9.3
Marijuana and Hashish	6.8 <sup>b</sup>	7.7	19.4	24.2	6.4 <sup>b</sup>	7.3
Cocaine	0.8 <sup>b</sup>	1.2	4.3	4.2	0.7 <sup>b</sup>	1.1
Crack	0.2 <sup>a</sup>	0.3	2.1	1.1	0.1 <sup>b</sup>	0.2
Heroin	0.1	0.1	0.6	0.4	0.1	0.1
Hallucinogens <sup>3</sup>	0.6 <sup>b</sup>	0.8	2.7	2.9	0.5 <sup>b</sup>	0.7
LSD	0.2	0.2	1.7	1.0	0.2	0.1
PCP	0.0	0.0	0.2	0.4	0.0	0.0
Ecstasy	--	0.5	--	1.7	--	0.5
Inhalants	0.3	0.2	1.2	0.9	0.2	0.2
Nonmedical Use of Any Psychotherapeutic <sup>4</sup>	2.1 <sup>b</sup>	2.8	8.0	9.3	2.0 <sup>b</sup>	2.6
Pain Relievers	1.5 <sup>b</sup>	2.0	5.7	6.5	1.4 <sup>b</sup>	1.9
Tranquilizers	0.6 <sup>a</sup>	0.8	2.6	1.7	0.6 <sup>a</sup>	0.8
Stimulants	0.5	0.6	2.6	4.0	0.4	0.5
Methamphetamine	0.3	0.4	1.8	2.9	0.2	0.3
Sedatives	0.1	0.2	0.3	0.5	0.1	0.1
Any Illicit Drug Other Than Marijuana <sup>2</sup>	3.2 <sup>b</sup>	4.2	13.3	13.8	2.9 <sup>b</sup>	3.9

\*Low precision; no estimate reported.

-- Not available.

<sup>a</sup>Difference between estimate and 2001 estimate is statistically significant at the .05 level.

<sup>b</sup>Difference between estimate and 2001 estimate is statistically significant at the .01 level.

<sup>1</sup> Estimates in the total column are for all persons aged 18 or older, including those with unknown probation status.

<sup>2</sup> Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>3</sup> Due to a questionnaire change in 2001, comparison of hallucinogen estimates (except lifetime) with prior estimates should be interpreted with caution. See Appendix C.

<sup>4</sup> Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

**Table 6.66A Estimated Numbers (in Thousands) of Past Month Users of Any Illicit Drug Among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics: 2000 and 2001**

Demographic Characteristic	Total <sup>1</sup>		PROBATION STATUS DURING THE PAST YEAR			
			On Probation		Not on Probation	
	2000	2001	2000	2001	2000	2001
<b>Total 18 or Older</b>	11,763 <sup>b</sup>	13,355	899	984	10,830 <sup>b</sup>	12,328
<b>AGE</b>						
18-49	10,732 <sup>b</sup>	12,438	848	984	9,852 <sup>b</sup>	11,419
18-25	4,599 <sup>b</sup>	5,540	453 <sup>a</sup>	572	4,132 <sup>b</sup>	4,941
26-34	2,570	2,865	146	190	2,412	2,670
35-49	3,563	4,033	249	221	3,308	3,807
<b>GENDER/AGE</b>						
Male 18 or Older	7,094 <sup>b</sup>	8,048	697	760	6,372 <sup>b</sup>	7,259
Male 18-49	6,572 <sup>b</sup>	7,594	674	760	5,874 <sup>b</sup>	6,806
Female 18 or Older	4,669 <sup>a</sup>	5,307	202	224	4,458 <sup>a</sup>	5,068
Female 18-49	4,160 <sup>b</sup>	4,843	174	224	3,978 <sup>a</sup>	4,613

\*Low precision; no estimate reported.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>a</sup>Difference between estimate and 2001 estimate is statistically significant at the .05 level.

<sup>b</sup>Difference between estimate and 2001 estimate is statistically significant at the .01 level.

<sup>1</sup> Estimates in the total column are for all persons aged 18 or older, including those with unknown probation status.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

**Table 6.66B Percentages Reporting Past Month Use of Any Illicit Drug Among Persons Aged 18 or Older, by Probation Status and Demographic Characteristics: 2000 and 2001**

Demographic Characteristic	Total <sup>1</sup>		PROBATION STATUS DURING THE PAST YEAR			
			On Probation		Not on Probation	
	2000	2001	2000	2001	2000	2001
<b>Total 18 or Older</b>	5.9 <sup>b</sup>	6.6	24.2	24.4	5.5 <sup>b</sup>	6.3
<b>AGE</b>						
18-49	8.5 <sup>b</sup>	9.8	25.3	27.7	8.1 <sup>b</sup>	9.3
18-25	15.9 <sup>b</sup>	18.8	33.2 <sup>a</sup>	38.7	15.0 <sup>b</sup>	17.7
26-34	7.8	8.8	19.0	20.0	7.5	8.4
35-49	5.6	6.3	20.4	19.7	5.3	6.1
<b>GENDER/AGE</b>						
Male 18 or Older	7.4 <sup>a</sup>	8.3	25.3	26.2	6.9 <sup>a</sup>	7.8
Male 18-49	10.6 <sup>b</sup>	12.2	27.4	29.6	10.0 <sup>b</sup>	11.5
Female 18 or Older	4.5 <sup>a</sup>	5.0	20.9	19.8	4.3 <sup>a</sup>	4.9
Female 18-49	6.5 <sup>b</sup>	7.5	19.4	22.7	6.3 <sup>a</sup>	7.3

\*Low precision; no estimate reported.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>a</sup>Difference between estimate and 2001 estimate is statistically significant at the .05 level.

<sup>b</sup>Difference between estimate and 2001 estimate is statistically significant at the .01 level.

<sup>1</sup> Estimates in the total column are for all persons aged 18 or older, including those with unknown probation status.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.